




フレーム1側 / Frame1 side





フレーム4側 / Frame4 side




B-B (1 : 2.5)




フレーム3側 / Frame3 side




フレーム2側 / Frame2 side



A-A (1 : 2.5)



C: フレーム拡大図 / Frame cross-section



ナットレール / Nut rail









スライドナット用溝

別売オプション品 スライドナット FZ-3 を入れる事が出来ます。









Groove for slide nut


Slide nut FZ-3 (sold separately as optional parts) can be inserted.

TAKACHI 株式会社タカチ電機工業 TAKACHI ELECTRONICS ENCLOSURE CO., LTD.			品名/Title 開閉式コントロールボックス OPEN-CLOSING CONTOROL BOX	
承認/Approved	検図/Checked	製図/Created	型番/Product number FCW5-20-20N□ / FCW5-20-20K□	
	王	中根	作成日/Date 2017/06/28	尺度/Scale 1:2.5
				2 / 5



TAKACHI 株式会社タカチ電機工業 TAKACHI ELECTRONICS ENCLOSURE CO., LTD.			品名/Title フレーム1, 2 Frame1, 2	
承認/Approved	検図/Checked 王	製図/Created 中根	型番/Product number H50-W200	
			作成日/Date 2017/06/28	3 / 5



TAKACHI 株式会社タカチ電機工業 TAKACHI ELECTRONICS ENCLOSURE CO., LTD.			品名/Title フレーム3, 4 Frame3, 4	 尺度/Scale 1:1.5
承認/Approved	検図/Checked 王	製図/Created 中根	型番/Product number H50-D200	
			作成日/Date 2017/06/28	4 / 5




開閉パネル / Open-closing panel

The drawing consists of three views of a rectangular panel:

- Front View (Left):** Shows the panel's dimensions. The overall width is 171 and the overall height is 171. The effective width is 158, and the effective height is 154. A central rectangular cutout has a width of 24 and a height of 70. The panel has a thickness of 18.1. The front view is labeled "パネル表面 / Panel Frontside".
- Side View (Middle):** Shows the panel's thickness of 2. It is labeled "保護シート側 / Surface protective film side".
- Back View (Right):** Shows the back of the panel, which has a central rectangular cutout and four mounting holes at the corners. It is labeled "パネル裏面 / Panel Backside".

Dimensions and labels:

- Overall width: 171
- Overall height: 171
- Effective width: 158
- Effective height: 154
- Central cutout width: 24
- Central cutout height: 70
- Panel thickness: 18.1
- Panel frontside: パネル表面 / Panel Frontside
- Panel backside: パネル裏面 / Panel Backside
- Surface protective film side: 保護シート側 / Surface protective film side





パネル裏面/Panel Backside

ハメ込みパネル / Slide panel

Diagram of the front view of the slide panel. The overall dimensions are 171.9 mm by 171.9 mm. The effective dimensions (MAX dim.) are 160 mm by 160 mm. The panel is labeled "パネル表面 / Panel Frontside".

Diagram showing the side and back views of the slide panel. The side view shows a thickness of 1.5 mm. The back view shows the panel's backside, labeled "パネル裏面 / Panel Backside". The side view is labeled "保護シート側 / Surface protective film side".

TAKACHI 株式会社タカチ電機工業 TAKACHI ELECTRONICS ENCLOSURE CO., LTD.			品名 / Title パネル Panel	 尺度 / Scale 1:2.5
承認 / Approved 中根	検図 / Checked 王	製図 / Created 中根	型番 / Product number W200 - D200	
			作成日 / Date 2020/06/17	5 / 5



パネル裏面/Panel Backside

 株式会社タカチ電機工業 TAKACHI ELECTRONICS ENCLOSURE CO., LTD.			品名/Title パネル Panel	
承認/Approved	検図/Checked	製図/Created	型番/Product number W200 - D200	尺度/Scale 1:2.5
中根	王	中根	作成日/Date 2020/06/17	5 / 5