







構成内容 / Components				
No.	名称 / Part name	数量 / Pcs	材質 / Material	色・表面処理 / Color・Finish
1	フレーム Frame	4	アルミ押出材 A6063S-T5 Extruded aluminium A6063S-T5	シルバー・アルマイト & クリア塗装 Silver・Anodized with clear coated
2	コーナーブロック Corner block	4	ABS樹脂 UL94HB ABS UL94HB	ライトグレー, ブラック・シボ Light gray, Black
3	コーナーキャップ / Blind plug	8	エラストマ / Elastomer	ライトグレー, ブラック・シボ / Light gray, Black
4	ハメ込みパネル / Slide panel	1	アルミ板 / Aluminium A1100P t=1.5	シルバーアルマイト / Silver・Anodized
5	開閉パネル / Open-closing panel	1	アルミ板 / Aluminium A1100P t=2.0	シルバーアルマイト / Silver・Anodized
6	平面ハンドル / Flat handle	1set	亜鉛ダイキャスト / Diecast zinc	シルバー・塗装 / Silver・Painted
7	ヒンジ / Hinge	1set	亜鉛ダイキャスト / Diecast zinc	シルバー・塗装 / Silver・Painted
8	取付ビス(M4 x 15 ナベ) Screw(M4 - 15 Pan head)	16	鉄 Steel	三価クロメート Trivalent chromate




色仕様(型番末尾□) / Color Type(End of product number□)				
記号 / Code	平面ハンドル仕様 / Flat Handle Type	記号 / Code	パネル / Panel	フレーム / Freme
N	鍵無 / Normal type	G S	シルバー / Silver	シルバー / Silver
K	鍵付 / Key lock type	B S	シルバー / Silver	シルバー / Silver

TAKACHI 株式会社タカチ電機工業 TAKACHI ELECTRONICS ENCLOSURE CO., LTD.			品名/Title 開閉式コントロールボックス OPEN-CLOSING CONTROL BOX	 尺度/Scale 1 : 3.5
承認/Approved 中根	検図/Checked 王	製図/Created 中根	型番/Product number FCW5-25-30N□ / FCW5-25-30K□ 作成日/Date 2023/08/02	


フレーム1側 / Frame1 side



フレーム3側 / Frame3 side





フレーム4側 / Frame4 side




B-B (1 : 3)

有効寸法 / MAX dim. 44




フレーム2側 / Frame2 side




A-A (1 : 3)

開閉パネル有効寸法 / Open-closing panel MAX dim. 204











C: フレーム拡大図 / Frame cross-section




ナットレール / Nut rail

スライドナット用溝
別売オプション品 スライドナット FZ-3 を入れる事が出来ます。
Groove for slide nut
Slide nut FZ-3 (sold separately as optional parts) can be inserted.


TAKACHI 株式会社タカチ電機工業 TAKACHI ELECTRONICS ENCLOSURE CO., LTD.			品名/Title 開閉式コントロールボックス OPEN-CLOSING CONTOROL BOX	 尺度/Scale 1:3
承認/Approved	検図/Checked 王	製図/Created 中根	型番/Product number FCW5-25-30N□ / FCW5-25-30K□	
			作成日/Date 2017/07/04	2 / 5






TAKACHI 株式会社タカチ電機工業 TAKACHI ELECTRONICS ENCLOSURE CO., LTD.			品名/Title フレーム1, 2 Frame1, 2	 尺度/Scale 1:2
承認/Approved	検図/Checked 王	製図/Created 中根	型番/Product number H50.4-W250	
			作成日/Date 2017/07/04	3 / 5



ナットレール / Nut rail




フレーム3 / Frame3



フレーム4 / Frame4



TAKACHI 株式会社タカチ電機工業 TAKACHI ELECTRONICS ENCLOSURE CO., LTD.			品名/Title フレーム3 , 4 Frame3, 4	 尺度/Scale 1:2
承認/Approved	検図/Checked 王	製図/Created 中根	型番/Product number H50.4-D300	
			作成日/Date 2017/07/04	4 / 5

開閉パネル / Open-closing panel

The drawing consists of three views of a rectangular panel:

- Front View (Left):** Shows the panel with a central rectangular cutout. Dimensions include a total width of 208, an effective width of 197.5, and a total height of 271. The cutout is 24 wide and 70 high, positioned 14 from the left and 100.5 from the top. Corner radii are 2-R6. Mounting holes are 18.1 from the bottom and 13 from the right.
- Side View (Middle):** Shows the panel's thickness of 2. The top surface is labeled "保護シート側 / Surface protective film side".
- Back View (Right):** Shows the reverse side of the panel with a central rectangular protrusion corresponding to the cutout on the front.


有効寸法 / MAX dim. 197.5

有効寸法 / MAX dim. 254

保護シート側
Surface protective film side

パネル表面 / Panel Frontside

パネル裏面 / Panel Backside



side

2

[illegible]

パネル裏面/Panel Backside

ハメ込みパネル / Slide panel

The drawing illustrates the dimensions and specifications of a slide panel. The front view (left) shows a panel with a maximum outer dimension of 271.9 mm and a maximum effective dimension of 260 mm. The back view (right) shows a panel with a maximum outer dimension of 221.9 mm and a maximum effective dimension of 210 mm. A 1.5 mm gap is indicated between the front and back views. The specification table at the bottom right provides details about the panel's origin, model, and scale.


保護シート側
Surface protective film side

パネル表面/Panel Frontside

1.5

パネル裏面/Panel Backside

TAKACHI 株式会社タカチ電機工業 TAKACHI ELECTRONICS ENCLOSURE CO., LTD.			品名/Title パネル Panel	 尺度/Scale 1:3
承認/Approved 中根	検図/Checked 王	製図/Created 中根	型番/Product number W250 - D300	
			作成日/Date 2020/06/17	5 / 5



A vertical line is shown. A horizontal line segment of length 1.5 is drawn from the left to the vertical line. A green arrow points from the text 'n side' to the vertical line.

A square divided into four quadrants by dashed lines. The square is divided into four equal quadrants by a horizontal dashed line and a vertical dashed line that intersect at the center. The quadrants are labeled with numbers: 1 in the top-left, 2 in the top-right, 3 in the bottom-left, and 4 in the bottom-right.

パネル裏面/Panel Backside

 株式会社タカチ電機工業 TAKACHI ELECTRONICS ENCLOSURE CO., LTD.			品名/Title パネル Panel	
承認/Approved	検図/Checked	製図/Created	型番/Product number W250 - D300	尺度/Scale 1:3
中根	王	中根	作成日/Date 2020/06/17	5 / 5