




- Economical zipper type soft carrying case with handle.
- Selectable in 4 different sizes, with each model available with, and without internal foam.
- Pre-cubed sponge foam allows for a stronger protection of the stored equipment.
- Suitable for storing delicate devices such as measuring instruments, medical equipment, tools, precision parts, and so on.
- Foam customization and exterior inkjet printing are available.



Internal foam



Pre-cubed foam can be easily cut to make a suitable storage space.



Components

No.	Part name	Material
1	Case	Polyester • EVA
2	Handle	TPE • PP
3	Pre-cubed sponge foam	Polyurethane / 10mm pitch pre-cut cubed foam*
4	Pocket	Polyester

*Pitch of Pre-cut cubed foam for SC35-25-16S is 11.8mm.

Product no. / Details

Product no.		External dimensions			Internal dimensions			Weight (g)	
● With foam	● Without foam	W	D	H	w	d	h	With foam	Without foam
SC17-13- 6S	SC17-13- 6N	170	130	60	148	108	35	151	138
SC22-17-10S	SC22-17-10N	216	165	95	190	130	60	294	253
SC28-21-11S	SC28-21-11N	280	210	110	247	173	90	518	421
SC35-25-16S	SC35-25-16N	345	250	155	300	205	117	775	591

Accessories (Optional parts)

- See page SB1250 for details.



Shoulder strap
SB1250

- Exterior inkjet printing



SC-1

- Foam customization




SC dimensions

■ DXF/DWG/PDF drawings available on our website.

SC17-13-6N / 17-13-6S




*SC17-13-6□ models do not have fasteners on the pocket.



SC22-17-10N / 22-17-10S



Available with / without foam models.




SC28-21-11N / 28-21-11S




*SC28-21-11□ and SC32-25-16□ models comes attached with a D-ring.



Optional SB1250 shoulder strap can be attached.



SC35-25-16N / 35-25-16S



Handy Carrying Case for Your Everyday Needs



A wide selection to choose from with optional customization services available to suit various designs.

Use as tools storage, precision parts, measurement devices, test samples, medical equipment, and so on.




SNAP-IN LATCH for easy handling

Equipped with a SNAP-IN LATCH for easy to open and close.

Best used at locations where storage of equipment are required.

SNAP-IN LATCH on MAXI series are available in 7 different colors: black, gray, marine, red, orange, yellow and light gray.



MAXI • MINI • XTRA-1



Protective sponge foam

Optional foam comes with pre-cubed foam to allow for easy modification by removing the required squares. Foam customization is also available where your own unique form design and cut-outs can be performed.

MILLING

● CNC Foam Milling



CUSTOMIZE

Digital inkjet printing with low initial tooling cost

Digital inkjet printing on tool cases with low initial tooling cost. Full color printing is possible with digital inkjet printing.

PRINTING



MAXI · MINI · XTRA-2

MAXI SERIES

PLASTIC CARRYING CASE



- Universal storing case with easy opening/closing snap-in latch.
- Available in 25 different sizes.
- Optional foam are available to protect your device or equipment.
- Suitable for storing tools, jigs, precision parts, measurement devices, test samples, medical equipment, and so on.

Technical Data

Operating temperature : -20℃~+60℃

APPLICATION EXAMPLE



Light gray color is also available.

► See page SP-Custom-1~SP-Custom-2 for custom foam and custom inkjet printing.




Components

No.	Part name	Material
1	Cover	ABS
2	Base	ABS
3	Snap-in latch	ABS
4	Hinge	PP

MAXI dimensions

■ Drawings below are reference examples only.

DXF/DWG/PDF drawings available on our website.



■ Red and black snap-in latches are included. You can exchange to your preferred color.

See page MAXI · XTRA-ACC-1 for how to exchange the snap-in latch.

● Red



● Black




Product no. / Dimensions

Product no.	Dimensions (External)			Dimensions (Internal)					Weight (kg)
● Black	W	D	H	w	d	h	a	b	
MAXI 252307 B	254	230	72	242	169	66	33	33	0.4
MAXI 272408 B	271	241	84	258	180	78	39	39	0.5
MAXI 292610 B	289	256	97	276	194	91	45.5	45.5	0.6
MAXI 292612 B	289	256	117	276	192	111	45.5	65.5	0.65
MAXI 292614 B	289	256	137	274	192	131	65.5	65.5	0.68
MAXI 353106 B	345	308	61	333	242	54	27	27	0.78
MAXI 353107 B	345	308	72	333	242	65	27	38	0.8
MAXI 353108 B	345	308	83	332	242	76	38	38	0.8
MAXI 353111 B	345	308	112.5	328	238	105.5	27	78.5	0.9
MAXI 353112 B	345	308	123.5	328	238	116.5	38	78.5	1.0
MAXI 353116 B	345	308	164	328	238	157	78.5	78.5	1.2
MAXI 393309 B	390	334	88	377	267	80	40	40	1.0
MAXI 393310 B	390	334	103	377	265	95.5	40	55.5	1.1
MAXI 393312 B	390	334	118	377	265	111	55.5	55.5	1.1
MAXI 433614 B	432	363	138	412	290	131	65.5	65.5	1.5
MAXI 433617 B	432	363	174	408	286	166.5	101	65.5	1.6
MAXI 433621 B	432	363	210	408	286	202	101	101	1.74
MAXI 453809 B	452	383	89	438	314	81	40.5	40.5	1.3
MAXI 453811 B	452	383	109	436	312	101	40.5	60.5	1.4
MAXI 453813 B	452	383	129	436	312	121	60.5	60.5	1.5
MAXI 453814 B	452	383	144.5	432	308	136.5	40.5	96	1.6
MAXI 453816 B	452	383	164.5	432	308	156.5	60.5	96	1.7
MAXI 453820 B	452	383	200	432	308	192	96	96	1.8
MAXI 544517 B	539	450	169	516	365	162	81	81	2.4
MAXI 544521 B	539	450	205	516	362	197	81	116	2.7

MASP SERIES

FOAM SET for MAXI



- Pre-cubed polyurethane foam can be easily cut to make a suitable storage space.
- Available as a three-layered sponge foam set with waved (for cover side), pre-cubed foam (for base side) and base layer.
- DXF/DWG/PDF drawings available on our website.

Product no. / Suitable case

Product no.	Suitable case	Foam layer details	Cut-line pitch
MASP 252307	MAXI 252307 B	Waved layer x 1 • Pre-cubed foam layer x 1 • Base layer x 1	15mm
MASP 272408	MAXI 272408 B	Waved layer x 1 • Pre-cubed foam layer x 1 • Base layer x 1	15mm
MASP 292610	MAXI 292610 B	Waved layer x 1 • Pre-cubed foam layer x 1 • Base layer x 1	15mm
MASP 292612	MAXI 292612 B	Waved layer x 1 • Pre-cubed foam layer x 2 • Base layer x 1	15mm
MASP 292614	MAXI 292614 B	Waved layer x 1 • Pre-cubed foam layer x 2 • Base layer x 1	15mm
MASP 353106	MAXI 353106 B	Waved layer x 1 • Pre-cubed foam layer x 1 • Base layer x 1	15mm
MASP 353107	MAXI 353107 B	Waved layer x 1 • Pre-cubed foam layer x 1 • Base layer x 1	15mm
MASP 353108	MAXI 353108 B	Waved layer x 1 • Pre-cubed foam layer x 2 • Base layer x 1	15mm
MASP 353111	MAXI 353111 B	Waved layer x 1 • Pre-cubed foam layer x 2 • Base layer x 1	15mm
MASP 353112	MAXI 353112 B	Waved layer x 1 • Pre-cubed foam layer x 4 • Base layer x 1	15mm
MASP 353116	MAXI 353116 B	Waved layer x 1 • Pre-cubed foam layer x 1 • Base layer x 1	15mm
MASP 393309	MAXI 393309 B	Waved layer x 1 • Pre-cubed foam layer x 1 • Base layer x 1	15mm
MASP 393310	MAXI 393310 B	Waved layer x 1 • Pre-cubed foam layer x 1 • Base layer x 1	15mm
MASP 393312	MAXI 393312 B	Waved layer x 1 • Pre-cubed foam layer x 1 • Base layer x 1	15mm
MASP 433614	MAXI 433614 B	Waved layer x 1 • Pre-cubed foam layer x 2 • Base layer x 1	15mm
MASP 433617	MAXI 433617 B	Waved layer x 1 • Pre-cubed foam layer x 4 • Base layer x 1	15mm
MASP 433621	MAXI 433621 B	Waved layer x 1 • Pre-cubed foam layer x 1 • Base layer x 1	15mm
MASP 453809	MAXI 453809 B	Waved layer x 1 • Pre-cubed foam layer x 1 • Base layer x 1	20mm
MASP 453811	MAXI 453811 B	Waved layer x 1 • Pre-cubed foam layer x 1 • Base layer x 1	20mm
MASP 453813	MAXI 453813 B	Waved layer x 1 • Pre-cubed foam layer x 2 • Base layer x 1	20mm
MASP 453814	MAXI 453814 B	Waved layer x 1 • Pre-cubed foam layer x 2 • Base layer x 1	20mm
MASP 453816	MAXI 453816 B	Waved layer x 1 • Pre-cubed foam layer x 4 • Base layer x 1	20mm
MASP 453820	MAXI 453820 B	Waved layer x 1 • Pre-cubed foam layer x 2 • Base layer x 1	20mm
MASP 544517	MAXI 544517 B	Waved layer x 1 • Pre-cubed foam layer x 2 • Base layer x 1	20mm
MASP 544521	MAXI 544521 B	Waved layer x 1 • Pre-cubed foam layer x 3 • Base layer x 1	20mm

MINI SERIES

PLASTIC CARRYING CASE



- Light weight and simple tool case.
- Optional foam available to protect your device or equipment.
- Suitable for storing test samples, tools, precision parts, and so on.
- Made from PP plastic, and available in light gray color.

Technical Data


Operating temperature : -20℃~+60℃

APPLICATION EXAMPLE



► See page SP-Custom-1~SP-Custom-2 for custom foam and custom inkjet printing.

MINI dimensions



Drawings below are reference examples only.
DXF/DWG/PDF drawings available on our website.

Product no. / Dimensions

Product no.	Dimensions (External)			Dimensions (Internal)					Weight (g)
	W	D	H	w	d	h	a	b	
MINI 231905 G	230	187	45	222	140.5	40	9	31	230
MINI 272305 G	265	225	50	258	175	45	11	34	330
MINI 332806 G	327	275	55	319	225	49	13	36	470
MINI 352808 G	345	284	83	336	225	78	22.5	55.5	630

Accessories (Optional parts)

MISP SERIES

FOAM SET for MINI



- Pre-cubed polyurethane foam can be easily cut to make a suitable storage space.
- Available as a three-layered foam set with waved (for cover side), pre-cubed foam (for base side) and base layer.
- DXF/DWG/PDF drawings available on our website.



Product no. / Suitable case

Product no.	Suitable case	Foam layer details
MISP 2319	MINI 231905 G	Waved layer x 1 · Pre-cubed foam layer x 1 · Base layer x 1
MISP 2723	MINI 272305 G	Waved layer x 1 · Pre-cubed foam layer x 1 · Base layer x 1
MISP 3328	MINI 332806 G	Waved layer x 1 · Pre-cubed foam layer x 1 · Base layer x 1
MISP 3528	MINI 352808 G	Waved layer x 1 · Pre-cubed foam layer x 1 · Base layer x 1

XTRA SERIES**PLASTIC CARRYING CASE**

- Slim and rounded handle tool case.
- Optional foam are available to protect your device or equipment.
- Suitable for storing measuring devices, test samples, tools, precision parts, and so on.

Technical Data

Operating temperature : -20°C~+60°C


APPLICATION EXAMPLE**Components**

No.	Part name	Material
1	Cover	PP or ABS
2	Base	PP or ABS
3	Latch	PP

※ABS material is used for the Cover and Base of XTRA494614B/G models.

► See page SP-Custom-1~SP-Custom-2 for custom foam and custom inkjet printing.

XTRA dimensions



Drawings below are reference examples only.
DXF/DWG/PDF drawings available on our website.

Product no. / Dimensions

Product no.		Dimensions (External)			Dimensions (Internal)					Weight (kg)
● Black	● Light gray	W	D	H	w	d	h	a	b	
XTRA 262505 B	XTRA 262505 G	258	246	49	240	188	42	21	21	0.4
XTRA 323108 B	XTRA 323108 G	320	308	81	296	230	76	38	38	0.6
XTRA 403810 B	XTRA 403810 G	397	377	96	368	290	90	45	45	0.9
XTRA 494614 B	XTRA 494614 G	486	460	136	450	355	131	65.5	65.5	1.66


Accessories (Optional parts)

XTSP SERIES

FOAM SET for MINI



- Pre-cubed polyurethane foam can be easily cut to make a suitable storage space.
- Available as a three-layered foam set with waved (for cover side), Pre-cubed foam (for base side) and base layer.
- DXF/DWG/PDF drawings available on our website.



Product no. / Suitable case

Product no.	Suitable case	Foam layer details	Cut-line pitch
XTSP 2625	XTRA 262505 B/G	Waved layer x 1 · Pre-cubed foam layer x 1 · Base layer x 1	15mm
XTSP 3231	XTRA 323108 B/G	Waved layer x 1 · Pre-cubed foam layer x 1 · Base layer x 1	15mm
XTSP 4038	XTRA 403810 B/G	Waved layer x 1 · Pre-cubed foam layer x 1 · Base layer x 1	15mm
XTSP 4946	XTRA 494614 B/G	Waved layer x 1 · Pre-cubed foam layer x 1 · Base layer x 1	20mm

Both waved and base layer has a double-sided tape attached on the back side. Peel off to adhere onto the inner side of the case.

Accessories (Optional parts)

IDT-17


LUGGAGE TAG



IDT dimensions (mm)



Available range (mm)

Available thickness up to $t = 1.5\text{mm}$

- Luggage tag composed of an acrylic holder and silicone cover.
 - The contents and information of the case can be displayed for easy organization and identification.
 - 170mm strap length.
 - Do not pull the strap with excessive force so as to prevent the strap from coming out of the strap fastener.
- ※ Luggage tag is not subject to RoHS regulations.

Installation example



Components

No.	Part name	Pcs	Material	Color
1	Holder	1	Acrylic	Transparent
2	Cover	1	Silicone	Black
3	Strap	1	Polyester	Black
4	Strap fastener	1	ABS	Gray

Product no. / Details

Product no.	Weight (g)	Pack of
IDT-17	35.8	1 set

DP-1527

ADHESIVE DOCUMENT POUCH

Thickness: 50 μm

- Adhesive document pouch for shipping label, etc.
 - Pouch is fully sealable to prevent documentation from slipping out during transit.
 - Documents can be easily retrieved through the perforations on the pouch.
 - Aside from shipping labels, invoices, instruction manuals and so on can be contained within.
 - Possible to stick on protector case, tool case, etc. such as NK, NKK, MINI, XTRA series.
- ※ Adhesive residue or slight peeling may remain.
- Possible to stick on the grained (fine unevenness) polypropylene material.
- ※Note : Depending on the material or surface finish, the pouch may not be able to be removed properly.

Installation example



Components

No.	Part name	Pcs	Material	Color
1	Pouch	1	Polyethylene	Transparent

Product no. / Details

Product no.	Weight (g)	Pack of
DP-1527	77.8	10 pcs

SB1250**SHOULDER STRAP**

- Polypropylene strap with PVC shoulder pad to provide cushioning as well as reducing burden on the shoulders.
- Usable with other bags or cases with a D-ring or similar attachment.
- Strap length is adjustable anywhere from 750mm to 1250mm.
- 38mm strap width.

Can be attached directly onto NK • NKK series cases.

※Not applicable for NK903, NK904, NK909, NK970, NK975, NKK990, NK • NKK938, NK • NKK950, NK • NKK960 and NK • NKK963 models.

Technical Data

Max load : 11kg

※Reference value only.

Components

No.	Part name	Pcs	Material	Color
1	Strap	1	Polypropylene	Black
2	Shoulder pad	1	PVC	Black
3	Strap adjuster	1	POM	Black
4	Swivel snap hook	2	POM	Black

Product no. / Details

Product no.	Weight (g)	Pack of
SB1250	108	1

NSTP810**SHOULDER STRAP**

- Nylon shoulder strap with polyurethane pads to reduce fatigue when carrying.

Components

No.	Part name	Material
1	Belt	Nylon
2	Pad	Neoplane • Polyurethane
3	Hook	Steel (Black painted)

Product no. / Details

Product no.	Weight (g)	Pack of
NSTP810	238	1


※Belt length can be adjustable from 810mm to 1,170mm

※Not applicable for NK903, NK904, NK909, NK970, NK975, NKK990, NK • NKK938, NK • NKK950, NK • NKK960 and NK • NKK963 models.



AB145S

PADLOCK




Components

No.	Part name	Material
1	Body	Aluminium
2	Shank	Steel
3	Dial	Zinc alloy

Product no. / Details

Product no.	Weight (g)	Quantity
AB145S	52	1

※Not applicable for NK-T30 model.



NKST series

NAMEPLATE STICKER



Color nameplate can be performed by digital inkjet printing on a white plate.




■ 0.3mm thick plastic nameplate with double sided tape on the back.

Custom name plate can be made with your company name, logo, product number or lot number with digital inkjet printing.

■ Digital inkjet print or silkscreen is possible from just 1 piece.


Product no. / Details

Product no.		Suitable model	Dimensions		Quantity
● Black	● White		A	B	
NKST-2B	NKST-2W	NK903,904	62.7	9.1	1
NKST-3B	NKST-3W	NK/NKK905 ~ 960	75.1	9.1	1
		NK-T20,30			




CNC Foam Milling

Customize based on
how you want it to be!



+



+



CNC foam cutting machine enables
quick and cost-effective hole milling service.



For mass production, cost-effective
mold press cutting is also available.

APPLICATION EXAMPLE



CNC Machining • Printing Service for Case

CNC Machining

■ CNC machining for your switch, connector, display and so on is possible from just 1 piece.



Printing Service

■ Digital inkjet printing, silkscreen printing and nameplate sticker printing is possible from just 1 piece.

Low initial
cost
No plate
processing
fee

Inkjet printing

Low printing cost for small quantities.

● Data adjustment fees may be charged again if significant changes are required on your repeat order.

● If the data in recommended format is provided

Data adjustment
fees

● Data or images other than recommended formats

Data creation fees +
Data adjustment fees

Silk-screen initial tooling

Low printing cost for large quantity single color print.

Silk-screen initial tooling

Plate making

Silk-screen making

Recommended data formats

PDF (.pdf -100%)		Vector file (.ai)		EPS (.eps)	
---------------------	--	----------------------	--	---------------	--

Initial cost can be reduced with the recommended formats.



Able to Inkjet print on rigid urethane foam.



APPLICATION EXAMPLE

